

## Logis

### Bath spout

Surfaces: **chrome** Art. no. : **71410000**



## Description

### product features

- Connection type: 3/4"
- exposed installation
- with escutcheon
- spout 195 mm long
- wall-mounted
- Maximum flow rate (at 3 bar): 21 l/min
- normal spray
- operating pressure: min 1 bar/max 5 bar
- WRAS 1812061
- WRAS 1812061
- WRAS 1812061 - WRAS 1812061 approval letter

## Article Details

Price excl. VAT

£ 99.86

## Technology




## Certificates




## Product image



## Scale drawing



## Flowchart



The consumption was measured in combination with the appropriate fittings (thermostat/mixer/ in-wall valve) to reflect actual application in practice.

**Logis**

**Bath spout**


Surfaces: **chrome**

Art. no. : **71410000**



## Exploded Drawing

Year of production: >01/15



## Logis

### Bath spout

Surfaces: **chrome** Art. no. : **71410000**



## Spare part list

Year of production: >01/15

| Pos. | Description                                     | Art. no. | Price | PU |
|------|-------------------------------------------------|----------|-------|----|
| 1    | aerator M24x1 (30 l/min)                        | 92360000 | -     | 1  |
| 2    | pin                                             | 97766000 | -     | 1  |
| 3    | escutcheon 79 / 79 mm                           | 95283000 | -     | 1  |
| 4    | connecting thread G <sup>3</sup> / <sub>4</sub> | 92504000 | -     | 1  |
| 5    | O-ring 13x2                                     | 98128000 | -     | 1  |