

## Talis S

### Bath spout

Surface: **Chrome** Article Number: **72410000**



#### Description

##### product features

- 1 function
- connection type: G 3/4
- with silencer
- with escutcheon
- projection 175 mm
- wall-mounted
- maximum flow rate at 3 bar: 21,5 l/min
- connection dimension: DN20
- spray type: Normal spray


#### Technology




#### Product image



#### Scale drawing



#### Flowchart




The consumption was measured in combination with the appropriate fittings (thermostat/mixer/ in-wall valve) to reflect actual application in practice.

Talis S  
 Bath spout  
 Surface: **Chrome** Article Number: **72410000**



Exploded Drawing

Year of production: >10/15



**Talis S**  
**Bath spout**  
 Surface: **Chrome**    Article Number: **72410000**



**Spare part list**

Year of production: >10/15

<b>Pos.</b>	<b>Description</b>	<b>Article Number</b>	<b>Price</b>	<b>PU</b>
1	aerator M24x1 (30 l/min)	96512000	€ 14,28	1
2	connecting thread G¾	92504000	€ 58,67	1
3	O-ring 13x2	98128000	€ 3,33	1
4	escutcheon Ø 65 mm	92754000	€ 36,89	1
5	seal	97530000	€ 5,36	1